



Change order details by crossing out unwanted information and writing in desired details/instructions.
Place a line through the x to remove the pre-checked option.

TEZPELUMAB-EKKO (TEZSPIRE) SQ INJ [11501002] Columbia Network Infusion Centers

Select Location: Southwest/Vancouver St John/Longview Start Date: _____

Diagnosis/Indication: _____

ICD-10 Code(s): _____ Authorization Number: _____

Patient Vitals: Height _____ Weight _____

Provider Communication Orders

To reduce delays in treatment and phone calls to your office, you may participate in the PeaceHealth formulary process by selecting this option. A clinic pharmacist will adjust orders according to PeaceHealth site approved policies and procedures.

- I agree to utilize the PeaceHealth policies & procedures that have been reviewed by the Pharmacy & Therapeutics Committee and authorized by the Medical Executive Committee of PeaceHealth. This agreement will be issued for the duration of active orders contained within this treatment plan.**

Supportive Care	Interval
-----------------	----------

- | | |
|---|-------------|
| <input checked="" type="checkbox"/> TEZPELUMAB-EKKO 210 MG/1.91 ML (110 MG/ML) SUBQ SYRG
<i>Starting when released, For 1 dose, Do not shake or expose to heat.</i>
Dose <u>210 mg</u> Frequency <u>Every 28 Days</u> | Route: SUBQ |
|---|-------------|

Emergency Medications	Interval
-----------------------	----------

- | | | |
|---|-----|----------------------|
| <input checked="" type="checkbox"/> diphenhydrAMINE (BENADRYL) injection 25-50 mg
<i>25-50 mg Once As Needed For mild to moderate drug reactions (flushing, dizziness, headache, diaphoresis, fever, palpitations, chest discomfort, blood pressure changes (>= 20 points in SBP), nausea, urticaria, chills, pruritic). Administer 50 mg IV if patient has NOT had diphenhydramine within 2 hours of reaction. Administer 25 mg IV if patient has had diphenhydramine within 2 hours of reaction, if reaction doesn't resolve in 3 minutes may repeat 25 mg I dose for a total of 50 mg, and contact provider.</i> | PRN | Route: IV |
| <input checked="" type="checkbox"/> albuterol 90 mcg/actuation inhaler 2 puff
<i>2 puff Once As Needed Inhalation Wheezing, Shortness of Breath, wheezing, shortness of breath associated with infusion reaction and notify provider. Administer with a spacer if available.</i> | PRN | Route: Inhalation |
| <input checked="" type="checkbox"/> methylPREDNISolone sodium succinate (Solu-MEDROL) Injection 125 mg
<i>125 mg Once As Needed For shortness of breath for continued symptoms of mild to moderate drug reactions (flushing, dizziness, headache, diaphoresis, fever, palpitations, chest discomfort, blood pressure changes (>= 20 points in SBP), nausea, urticaria, chills, pruritic) that worsen or persist 5 minutes after administration of diphenhydramine (Benadryl), and contact provider.</i> | PRN | Route: IV |
| <input checked="" type="checkbox"/> EPINEPHrine (ADRENALIN) injection for Allergic Reaction 0.5 mg
<i>0.5 mg Once As Needed For severe drug reaction (flushing, dizziness, headache, diaphoresis, fever, palpitations, chest discomfort plus blood pressure changes (>= 40 points in SBP), shortness of breath with wheezing and O2Sat <90%), and contact provider.</i> | PRN | Route: Intramuscular |

Provider Signature

Date

Time

Provider's Printed Name: _____

Place Patient Label Here

Page 1 of 1

EHR5014-DT (05/28/2024)

TEZPELUMAB-EKKO (TEZSPIRE) SQ INJ